

Event: Portland RTI Open Test
Track: Portland International Raceway
Report: Section Data Report
Session: Indy Pro 2000 Test Session 2

1.964 mile(s)



Indy Pro 2000 Championship
August 29, 2019

Section Data for Car 10 - Lindh, Rasmus (R)

Lap	T/S	I9 to I10	I10 to I11	I11 to SF	SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	PI to PO
1	T	5.8979	7.8419	6.4299	1.6790	5.5834	3.0878	6.2024	4.6664	5.0308	7.9042	4.9049	4.2726	7.2596	70.7608	296.5233
	S	120.343	81.381	123.853	139.287	94.884	57.852	100.584	95.411	83.757	80.222	75.342	114.099	138.062	99.920	3.166
2	T	5.6273														
	S	126.130														

Event: Portland RTI Open Test
Track: Portland International Raceway
Report: Section Data Report
Session: Indy Pro 2000 Test Session 2

1.964 mile(s)



Indy Pro 2000 Championship
August 29, 2019

Section Data for Car 10 - Lindh, Rasmus (R)

Lap	T/SPO to SF	
1	T	74.1548
	S	93.306
2	T	
	S	

Event: **Portland RTI Open Test**
Track: **Portland International Raceway**
Report: **Section Data Report**
Session: **Indy Pro 2000 Test Session 2**

1.964 mile(s)



Indy Pro 2000 Championship
August 29, 2019

Section Data for Car 11 - Serravalle, Antonio

Lap	T/S	I9 to I10	I10 to I11	I11 to SF	SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	PI to PO
1	T	6.3008	7.6077	6.2367	1.6245	5.3059	3.2182	6.2178	4.9393	5.1650	8.0056	5.1136	4.2738	7.1129	71.1218	243.3621
	S	112.648	83.886	127.690	143.960	99.846	55.508	100.335	90.140	81.581	79.206	72.267	114.067	140.909	99.413	3.858
2	T	5.9221	7.4331	6.2135	1.6239	5.2274	3.1914	6.2344	4.7682	5.1346	8.0201	5.0008	4.2464	7.0870	70.1029	
	S	119.852	85.857	128.167	144.014	101.345	55.974	100.068	93.374	82.064	79.063	73.897	114.803	141.424	100.857	
3	T	6.7722					3.2848	6.3104	4.8956	5.0663	8.0132	5.0117	4.2516	7.1003	524.6782	453.9550
	S	104.807					54.383	98.863	90.944	83.170	79.131	73.737	114.663	141.159	13.476	2.068
4	T	5.8661	7.3578	6.2057	1.6336	5.1618	3.4224	6.3013	4.7891	5.0160	8.1290	4.9564	4.2376	7.0833	70.1601	
	S	120.996	86.735	128.328	143.158	102.633	52.196	99.006	92.967	84.004	78.004	74.559	115.042	141.498	100.775	
5	T	5.7301	7.3323	6.1714	1.7154	5.6459	3.1788	7.1455	5.6711	5.7451	8.6164	5.3523	4.5062	7.9906	74.8011	
	S	123.867	87.037	129.041	136.332	93.833	56.196	87.309	78.508	73.343	73.591	69.044	108.184	125.431	94.523	
6	T	6.7158					3.4327	6.5156	5.2438	5.3530	8.2009	5.0577	4.2822	7.1756	339.0609	265.6357
	S	105.687					52.040	95.749	84.905	78.715	77.320	73.066	113.843	139.678	20.853	3.534
7	T	6.2811	7.6374	6.2635	1.6383	5.3059	3.2791	6.3071	4.8352	5.0014	7.8679	4.9559	4.2545	7.1363	70.7636	
	S	113.001	83.560	127.144	142.748	99.846	54.477	98.914	92.080	84.249	80.592	74.567	114.585	140.447	99.916	
8	T	5.8516	7.3319	6.1979	1.6318	5.1336	3.2483	6.2650	4.7388	5.0099	7.8147	4.9944	4.2447	7.1204	69.5830	
	S	121.295	87.042	128.489	143.316	103.197	54.994	99.579	93.954	84.106	81.141	73.992	114.849	140.761	101.611	
9	T	5.7631	7.2974	6.1641	1.6251	5.1177	3.1547	6.2030	4.7275	4.9957	7.8365	4.8888	4.2192	7.1086	69.1014	
	S	123.158	87.453	129.194	143.907	103.518	56.625	100.575	94.178	84.345	80.915	75.590	115.543	140.994	102.319	
10	T	5.7693	7.3480	6.2040	1.6307	5.1638	3.1264	6.1569	4.6865	4.9988	7.7943	4.8565	4.2091	7.0863	69.0306	
	S	123.026	86.851	128.363	143.413	102.594	57.138	101.328	95.002	84.293	81.353	76.093	115.820	141.438	102.424	
11	T	5.6353	7.2616	6.1639	1.6266	5.1364	3.0995	6.1793	4.6862	4.9548	7.9079	4.8554	4.2182	7.0869	68.8120	
	S	125.951	87.884	129.198	143.775	103.141	57.634	100.960	95.008	85.042	80.184	76.110	115.571	141.426	102.750	
12	T	5.6384	7.1773	6.1369	1.6250	5.0709	3.1042	6.1553	4.6459	4.9939	7.8114	4.9160	4.2157	7.1001	68.5910	
	S	125.882	88.917	129.766	143.916	104.473	57.547	101.354	95.832	84.376	81.175	75.172	115.639	141.163	103.081	
13	T	5.8078					3.2301	6.2744	4.8011	4.9776	7.8310	5.0018	4.2801	7.1858	283.6787	215.8685
	S	122.210					55.304	99.430	92.734	84.652	80.972	73.882	113.899	139.480	24.924	4.349
14	T	5.8139	7.2133	6.1275	1.6283	5.0498	3.1620	6.1890	4.5809	4.9542	7.9100	4.9004	4.2186	7.1314	68.8793	
	S	122.082	88.473	129.966	143.624	104.910	56.495	100.802	97.192	85.052	80.163	75.411	115.560	140.544	102.649	
15	T	5.6718	7.2044	6.1682	1.6352	5.0825	3.1232	6.1721	4.6144	4.9548	7.8175	4.9032	4.2306	7.1479	68.7258	
	S	125.141	88.582	129.108	143.018	104.235	57.197	101.078	96.486	85.042	81.112	75.368	115.232	140.219	102.878	
16	T	5.6597	7.1992	6.1335	1.6304	5.0370	3.1227	6.1631	4.5988	4.9345	7.7717	4.9265	4.2293	7.1375	68.5439	
	S	125.408	88.646	129.838	143.439	105.176	57.206	101.226	96.814	85.391	81.590	75.012	115.267	140.423	103.151	
17	T	5.6753	7.1596	6.1255	1.6285	5.2562	3.1351	6.1477	4.5985	4.9998	7.7378	4.8969	4.2154	7.1373	68.7136	
	S	125.063	89.137	130.008	143.607	100.790	56.979	101.479	96.820	84.276	81.947	75.465	115.647	140.427	102.897	
18	T	5.6889	7.2217	6.1402	1.6289	5.2669	3.0574	6.1299	4.6292	4.8983	7.8791	4.9281	4.2172	7.1135	68.7993	
	S	124.764	88.370	129.697	143.572	100.585	58.428	101.774	96.178	86.022	80.478	74.987	115.598	140.897	102.768	
19	T	5.7446					3.1750	6.1721	4.7165	4.9930	7.7414	4.9616	4.2395	7.1340	199.4528	132.4649
	S	123.555					56.263	101.078	94.398	84.391	81.909	74.481	114.990	140.492	35.449	7.088

Event: Portland RTI Open Test
Track: Portland International Raceway
Report: Section Data Report
Session: Indy Pro 2000 Test Session 2

1.964 mile(s)



Indy Pro 2000 Championship
August 29, 2019

Section Data for Car 11 - Serravalle, Antonio

Lap	T/SPO to SF	SF to PI
1	T 74.9127	
	S 92.362	
2	T	68.8893
	S	91.075
3	T 71.7977	
	S 96.369	
4	T	
	S	
5	T	73.9908
	S	84.796
6	T 75.1837	
	S 92.029	
7	T	
	S	
8	T	
	S	
9	T	
	S	
10	T	
	S	
11	T	
	S	
12	T	64.7807
	S	96.851
13	T 71.8226	
	S 96.336	
14	T	
	S	
15	T	
	S	
16	T	
	S	
17	T	
	S	
18	T	64.9589
	S	96.586
19	T 70.8568	
	S 97.649	

Event: Portland RTI Open Test
Track: Portland International Raceway
Report: Section Data Report
Session: Indy Pro 2000 Test Session 2

1.964 mile(s)



Indy Pro 2000 Championship
August 29, 2019

Section Data for Car 11 - Serravalle, Antonio

Lap	T/S	I9 to I10	I10 to I11	I11 to SF	SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	PI to PO
20	T	5.6913	7.2226	6.1654	1.6299	5.1693	3.0328	6.0879	4.5965	4.8837	7.7684	4.8446	4.1864	7.0957	68.3745	
	S	124.712	88.359	129.167	143.483	102.484	58.901	102.476	96.862	86.280	81.624	76.280	116.448	141.251	103.407	
21	T	5.6756	7.1811	6.1835	1.6335	5.0826	3.0778	6.0956	4.6325	4.9049	7.7979	4.9083	4.2124	7.1094	68.4951	
	S	125.057	88.870	128.788	143.167	104.233	58.040	102.347	96.110	85.907	81.316	75.290	115.730	140.979	103.225	
22	T	5.6507	7.1647	6.1578	1.6244	5.1172	3.0906	6.1104	4.5780	4.9326	7.6731	4.9570	4.1920	7.0883	68.3368	
	S	125.608	89.073	129.326	143.969	103.528	57.800	102.099	97.254	85.424	82.638	74.550	116.293	141.398	103.464	
23	T	5.6382														
	S	125.886														

Event: Portland RTI Open Test
Track: Portland International Raceway
Report: Section Data Report
Session: Indy Pro 2000 Test Session 2

1.964 mile(s)



Indy Pro 2000 Championship
August 29, 2019

Section Data for Car 11 - Serravalle, Antonio

Lap	T/SPO to SF	SF to PI
20	T	
	S	
21	T	
	S	
22	T	64.0260
	S	97.993
23	T	
	S	

Event: **Portland RTI Open Test**
Track: **Portland International Raceway**
Report: **Section Data Report**
Session: **Indy Pro 2000 Test Session 2**

1.964 mile(s)



Indy Pro 2000 Championship
August 29, 2019

Section Data for Car 2 - Robb, Sting Ray

Lap	T/S	I9 to I10	I10 to I11	I11 to SF	SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	PI to PO
1	T	5.9231	7.4226	6.2689	1.6591	5.5271	3.0932	6.1644	4.5838	4.7499	8.1953	4.8611	4.2326	7.2195	69.9006	255.0935
	S	119.831	85.978	127.034	140.958	95.850	57.751	101.204	97.131	88.710	77.373	76.021	115.177	138.829	101.149	3.680
2	T	5.7167	7.4267	6.2614	1.6589	5.4611	3.5318	7.1595	4.7237	4.9308	7.8748	4.9186	4.2160	7.7072	71.5872	
	S	124.158	85.931	127.186	140.975	97.008	50.579	87.138	94.254	85.455	80.522	75.132	115.631	130.044	98.766	
3	T	7.2173					3.2335	6.2394	4.6509	4.9212	7.9234	4.9000	4.2727	7.2381	526.2411	456.5948
	S	98.343					55.246	99.988	95.729	85.622	80.028	75.417	114.096	138.472	13.436	2.056
4	T	5.7366	7.3105	6.2296	1.6526	5.2927	3.0376	6.1280	4.5001	4.7185	7.8717	4.8700	4.2390	7.2073	68.7942	
	S	123.727	87.297	127.835	141.513	100.095	58.808	101.805	98.937	89.300	80.553	75.882	115.004	139.064	102.776	
5	T	5.6527	7.2666	6.2069	1.6435	5.7079	3.3690	7.7602	5.2985	5.4083	8.7005	5.2545	4.8638	8.3059	75.4383	
	S	125.563	87.824	128.303	142.296	92.814	53.924	80.393	84.929	77.911	72.880	70.329	100.230	120.670	93.724	
6	T	8.0821					3.1827	6.2069	4.6719	4.8403	7.9588	4.8660	4.2295	7.2223	299.9148	229.3653
	S	87.820					56.127	100.511	95.299	87.053	79.672	75.944	115.262	138.775	23.575	4.093
7	T	5.7029	7.1926	6.1962	1.6392	5.2586	3.0610	6.0898	4.5308	4.7896	8.0041	4.7925	4.2038	7.1694	68.6305	
	S	124.458	88.728	128.525	142.669	100.744	58.359	102.444	98.267	87.975	79.221	77.109	115.967	139.799	103.021	
8	T	5.6082	7.2038	6.1887	1.6384	5.2581	3.0435	6.1018	4.5475	4.8189	7.8843	4.8104	4.2057	7.1823	68.4916	
	S	126.560	88.590	128.680	142.739	100.754	58.694	102.243	97.906	87.440	80.425	76.822	115.914	139.548	103.230	
9	T	5.5672	7.1770	6.2008	1.6418	5.0686	3.1567	6.2752	4.5101	4.8520	7.7889	4.8382	4.2057	7.1640	68.4462	
	S	127.492	88.920	128.429	142.443	104.521	56.590	99.417	98.718	86.843	81.410	76.381	115.914	139.904	103.299	
10	T	5.4952	7.1937	6.2007	1.6423	5.1988	2.9831	6.0692	4.5075	4.8514	7.7511	4.8821	4.2121	7.1675	68.1547	
	S	129.162	88.714	128.431	142.400	101.903	59.883	102.792	98.775	86.854	81.807	75.694	115.738	139.836	103.740	
11	T	5.6575	7.2171	6.2031	1.6483	5.1835	3.0041	6.1336	4.5052	4.8233	7.8156	4.8184	4.2129	7.1337	68.3563	
	S	125.457	88.426	128.382	141.882	102.204	59.464	101.712	98.825	87.360	81.131	76.695	115.716	140.498	103.435	
12	T	5.5587					3.2787	6.2095	4.6232	5.0092	7.9308	4.8797	4.2306	7.1709	380.1228	312.1939
	S	127.687					54.484	100.469	96.303	84.118	79.953	75.731	115.232	139.769	18.600	3.007
13	T	5.6457	7.1881	6.1810	1.6391	5.2493	3.0273	6.1061	4.5628	4.8275	7.8629	4.8556	4.1978	7.1595	68.5027	
	S	125.719	88.783	128.841	142.678	100.923	59.008	102.171	97.578	87.284	80.643	76.107	116.132	139.992	103.213	
14	T	5.6583	7.3334	6.2066	1.6420	5.2086	2.9901	6.0762	4.4919	4.8604	7.8780	4.8284	4.1911	7.1529	68.5179	
	S	125.439	87.024	128.309	142.426	101.711	59.743	102.673	99.118	86.693	80.489	76.536	116.318	140.121	103.191	
15	T	5.5431	7.1684	6.1620	1.6388	5.2323	2.9795	6.0913	4.5809	4.8373	7.7680	4.9200	4.1692	7.1155	68.2063	
	S	128.046	89.027	129.238	142.704	101.250	59.955	102.419	97.192	87.107	81.629	75.111	116.929	140.858	103.662	
16	T	5.5872					3.3109	6.3174	4.7941	4.8808	8.0614	4.9102	4.2323	7.2055	233.1742	166.5614
	S	127.035					53.954	98.753	92.870	86.331	78.658	75.261	115.186	139.098	30.322	5.637
17	T	5.6215	7.0982	6.1891	1.6475	5.1575	2.9243	6.0304	4.4419	4.6867	7.8137	4.8433	4.2199	7.1775	67.8515	
	S	126.260	89.908	128.672	141.951	102.719	61.087	103.453	100.234	89.906	81.151	76.300	115.524	139.641	104.204	
18	T	5.5148	7.0420	6.1625	1.6426	5.1013	2.9936	6.0765	4.4039	4.8055	7.5873	4.7812	4.1819	7.1453	67.4384	
	S	128.703	90.625	129.227	142.374	103.851	59.673	102.668	101.098	87.684	83.573	77.291	116.574	140.270	104.842	
19	T	5.4399	7.0778	6.1833	1.6419	5.0469	2.9246	6.0759	4.4101	4.7467	7.6343	4.9890	4.1668	7.1354	67.4726	
	S	130.475	90.167	128.793	142.435	104.970	61.081	102.678	100.956	88.770	83.058	74.072	116.996	140.465	104.789	

Event: Portland RTI Open Test
Track: Portland International Raceway
Report: Section Data Report
Session: Indy Pro 2000 Test Session 2

1.964 mile(s)



Indy Pro 2000 Championship
August 29, 2019

Section Data for Car 2 - Robb, Sting Ray

Lap	T/SPO to SF	SF to PI
1	T 71.8550	
	S 96.292	
2	T	70.6595
	S	88.793
3	T 70.4459	
	S 98.219	
4	T	
	S	
5	T	75.8334
	S	82.735
6	T 70.1199	
	S 98.675	
7	T	
	S	
8	T	
	S	
9	T	
	S	
10	T	
	S	
11	T	63.9979
	S	98.036
12	T 72.2244	
	S 95.800	
13	T	
	S	
14	T	
	S	
15	T	64.1031
	S	97.875
16	T 70.7513	
	S 97.795	
17	T	
	S	
18	T	
	S	
19	T	
	S	

Event: Portland RTI Open Test
Track: Portland International Raceway
Report: Section Data Report
Session: Indy Pro 2000 Test Session 2

1.964 mile(s)



Indy Pro 2000 Championship
August 29, 2019

Section Data for Car 2 - Robb, Sting Ray

Lap	T/S	I9 to I10	I10 to I11	I11 to SF	SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	PI to PO
20	T	5.6305	7.1486	6.1891	1.6384	5.3098	2.8814	6.0253	4.4247	4.7434	7.7656	4.8928	4.2303	7.1507	68.0306	
	S	126.059	89.274	128.672	142.739	99.773	61.996	103.541	100.623	88.832	81.654	75.528	115.240	140.164	103.930	
21	T	5.3811	7.1403	6.2302	1.6430	5.1183	2.9304	6.0200	4.4327	4.6996	7.7564	4.8168	4.1744	7.1304	67.4736	
	S	131.901	89.377	127.823	142.339	103.506	60.960	103.632	100.442	89.659	81.751	76.720	116.783	140.563	104.788	
22	T	5.3910	7.1123	6.1891	1.6379	5.1269	2.9019	6.0210	4.4556	4.6810	7.7246	4.8584	4.1726	7.1486	67.4209	
	S	131.659	89.729	128.672	142.783	103.332	61.558	103.615	99.925	90.016	82.087	76.063	116.834	140.205	104.870	
23	T	6.1052														
	S	116.257														

Event: Portland RTI Open Test
Track: Portland International Raceway
Report: Section Data Report
Session: Indy Pro 2000 Test Session 2

1.964 mile(s)



Indy Pro 2000 Championship
August 29, 2019

Section Data for Car 2 - Robb, Sting Ray

Lap	T/SPO to SF	SF to PI
20	T	
	S	
21	T	
	S	
22	T	64.6421
	S	97.059
23	T	
	S	

Event: **Portland RTI Open Test**
Track: **Portland International Raceway**
Report: **Section Data Report**
Session: **Indy Pro 2000 Test Session 2**

1.964 mile(s)



Indy Pro 2000 Championship
August 29, 2019

Section Data for Car 27 - Round-Garrido, Matt (R)

Lap	T/S	I9 to I10	I10 to I11	I11 to SF	SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	PI to PO
1	T	6.3128	7.5447	6.3120	1.6660	5.4177	3.1989	6.2583	4.8999	5.0226	7.9254	5.0146	4.2759	7.2688	71.1176	277.5923
	S	112.434	84.587	126.167	140.374	97.786	55.843	99.686	90.865	83.894	80.007	73.694	114.011	137.887	99.418	3.382
2	T	6.0989	7.3313	6.2810	1.6635	5.2809	3.4230	6.3129	4.8112	4.9942	7.9586	5.3281	4.4654	8.8594	72.8084	
	S	116.377	87.049	126.789	140.585	100.319	52.187	98.824	92.540	84.371	79.674	69.358	109.173	113.131	97.110	
3	T	9.7447					3.3028	6.3284	4.8894	5.0609	8.0142	4.9191	4.2753	7.2465	513.4053	439.2646
	S	72.837					54.086	98.582	91.060	83.259	79.121	75.125	114.027	138.311	13.772	2.137
4	T	5.9113	7.4074	6.2793	1.6646	5.2652	3.1021	6.2157	4.6122	4.8834	7.9531	4.8705	4.2525	7.2207	69.6380	
	S	120.070	86.155	126.824	140.492	100.618	57.586	100.369	96.533	86.285	79.729	75.874	114.638	138.805	101.531	
5	T	5.8603	7.1740	6.2162	1.7127	6.5491	3.5662	7.0212	5.5404	5.5515	9.1884	5.4246	4.5339	8.1200	76.4585	
	S	121.115	88.958	128.111	136.547	80.892	50.092	88.854	80.360	75.901	69.010	68.124	107.523	123.433	92.474	
6	T	8.9144					3.2369	6.3011	4.7908	5.0342	8.0423	5.0076	4.4004	7.3400	292.6697	220.3811
	S	79.621					55.187	99.009	92.934	83.700	78.844	73.797	110.785	136.549	24.158	4.260
7	T	5.8998	7.4448	6.2996	1.6660	5.2510	3.0789	6.1745	4.6378	4.9190	7.9166	4.9347	4.2665	7.2764	69.7656	
	S	120.305	85.722	126.415	140.374	100.890	58.020	101.039	96.000	85.660	80.096	74.887	114.262	137.743	101.345	
8	T	5.9379	7.3026	6.2809	1.6591	5.1214	3.1205	6.2090	4.6401	4.8932	7.7127	4.8832	4.2504	7.2554	69.2664	
	S	119.533	87.391	126.791	140.958	103.443	57.246	100.477	95.952	86.112	82.214	75.677	114.695	138.142	102.075	
9	T	5.8980	7.2543	6.2389	1.6526	5.2019	3.0762	6.1726	4.6348	4.9320	7.7920	4.8639	4.2699	7.2590	69.2461	
	S	120.341	87.973	127.645	141.513	101.842	58.070	101.070	96.062	85.435	81.377	75.977	114.171	138.073	102.105	
10	T	5.8233	7.2608	6.2592	1.6593	5.1949	3.0617	6.1534	4.6393	4.8982	7.8152	4.8651	4.2498	7.2434	69.1236	
	S	121.885	87.894	127.231	140.941	101.979	58.345	101.385	95.969	86.024	81.136	75.958	114.711	138.370	102.286	
11	T	5.8726	7.3322	6.2521	1.6592	5.1429	3.1060	6.2405	4.7322	4.9481	7.8200	4.8638	4.2557	7.2582	69.4835	
	S	120.862	87.038	127.375	140.950	103.011	57.513	99.970	94.085	85.157	81.086	75.979	114.552	138.088	101.757	
12	T	5.7097	7.1209	6.2030	1.6525	5.1192	3.0551	6.1702	4.6272	4.8977	7.9597	4.8389	4.2256	7.2375	68.8172	
	S	124.310	89.621	128.384	141.521	103.487	58.472	101.109	96.220	86.033	79.663	76.370	115.368	138.483	102.742	
13	T	5.7189	7.5785	6.4601	1.6881	5.2118	3.0748	6.1857	4.8364	4.9580	7.8009	4.8796	4.2491	7.3028	69.9447	
	S	124.110	84.210	123.274	138.537	101.649	58.097	100.856	92.058	84.987	81.284	75.733	114.730	137.245	101.086	
14	T	5.7961	7.3082	6.2425	1.6706	5.2386	3.0722	6.1883	4.6977	4.9187	7.7974	4.8618	4.2599	7.2859	69.3379	
	S	122.457	87.324	127.571	139.988	101.129	58.146	100.813	94.776	85.666	81.321	76.010	114.439	137.563	101.970	
15	T	5.8471	7.3556	6.2707	1.6717	5.2701	3.0660	6.1831	4.6065	4.8285	8.4458	4.9570	4.2774	7.3196	70.0991	
	S	121.389	86.761	126.998	139.896	100.524	58.264	100.898	96.652	87.266	75.078	74.550	113.971	136.930	100.863	
16	T	5.9686					3.3079	6.3014	4.7496	4.9156	8.1474	4.8995	4.2437	7.2608	191.7511	122.1066
	S	118.918					54.003	99.004	93.740	85.720	77.827	75.425	114.876	138.039	36.873	7.689
17	T	5.7487	7.2251	6.2298	1.6567	5.2610	3.0421	6.1585	4.6301	4.8689	7.9423	4.9084	4.2300	7.2555	69.1571	
	S	123.467	88.328	127.831	141.162	100.698	58.721	101.301	96.159	86.542	79.837	75.288	115.248	138.140	102.237	
18	T	5.8565	7.1318	6.2058	1.6565	5.2591	3.1186	6.2290	4.7140	4.9833	7.9284	4.8935	4.2246	7.2228	69.4239	
	S	121.194	89.484	128.326	141.179	100.734	57.281	100.155	94.448	84.555	79.977	75.518	115.396	138.765	101.844	
19	T	5.7340					3.4851	6.4725	5.0958	5.1251	8.2454	5.0113	4.2651	7.3156	214.6229	145.0216
	S	123.783					51.257	96.387	87.371	82.216	76.902	73.742	114.300	137.005	32.943	6.474

Event: Portland RTI Open Test
Track: Portland International Raceway
Report: Section Data Report
Session: Indy Pro 2000 Test Session 2

1.964 mile(s)



Indy Pro 2000 Championship
August 29, 2019

Section Data for Car 27 - Round-Garrido, Matt (R)

Lap	T/SPO to SF	SF to PI
1	T 74.0995	
	S 93.376	
2	T	74.8092
	S	83.868
3	T 72.0267	
	S 96.063	
4	T	
	S	
5	T	77.1317
	S	81.343
6	T 72.0091	
	S 96.086	
7	T	
	S	
8	T	
	S	
9	T	
	S	
10	T	
	S	
11	T	
	S	
12	T	
	S	
13	T	
	S	
14	T	
	S	
15	T	66.7757
	S	93.958
16	T 72.6981	
	S 95.176	
17	T	
	S	
18	T	66.0584
	S	94.978
19	T 73.3265	
	S 94.360	

Event: Portland RTI Open Test
Track: Portland International Raceway
Report: Section Data Report
Session: Indy Pro 2000 Test Session 2

1.964 mile(s)



Indy Pro 2000 Championship
August 29, 2019

Section Data for Car 27 - Round-Garrido, Matt (R)

Lap	T/S	I9 to I10	I10 to I11	I11 to SF	SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	PI to PO
20	T	5.9676	7.3160	6.2702	1.6666	5.3166	3.0271	6.1495	4.5436	4.7306	7.9929	4.7891	4.2310	7.2482	69.2490	
	S	118.938	87.231	127.008	140.324	99.645	59.012	101.449	97.990	89.072	79.332	77.164	115.221	138.279	102.101	
21	T	5.7330	7.1567	6.2432	1.6658	5.1539	3.0670	6.1407	4.5820	4.7701	7.6402	4.7813	4.2212	7.2412	68.3963	
	S	123.805	89.173	127.557	140.391	102.791	58.245	101.595	97.169	88.334	82.994	77.290	115.488	138.413	103.374	
22	T	5.6177	7.1294	6.2836	1.6772	5.1558	3.0429	6.1338	4.5577	4.7666	7.6572	4.8187	4.2403	7.2701	68.3510	
	S	126.346	89.514	126.737	139.437	102.753	58.706	101.709	97.687	88.399	82.810	76.690	114.968	137.862	103.443	
23	T	5.7645	7.1272	6.2727	1.6710	5.2461	3.0551	6.1362	4.5046	4.8110	7.6969	4.9490	4.2615	7.2634	68.7592	
	S	123.128	89.542	126.957	139.954	100.984	58.472	101.669	98.838	87.583	82.383	74.671	114.396	137.989	102.828	
24	T	5.7400	7.1634	6.2682	1.6643	5.1775	3.0754	6.1484	4.5110	4.7643	7.7566	4.8341	4.2465	7.2720	68.6217	
	S	123.654	89.089	127.048	140.518	102.322	58.086	101.468	98.698	88.442	81.749	76.446	114.800	137.826	103.034	
25	T	5.7129	7.1681	6.2799	1.6701	5.0983	3.0724	6.1603	4.5705	4.8497	7.8243	4.8810	4.2442	7.2603	68.7920	
	S	124.240	89.031	126.812	140.030	103.912	58.142	101.272	97.413	86.884	81.041	75.711	114.863	138.048	102.779	
26	T	6.5001														
	S	109.194														

Event: Portland RTI Open Test
Track: Portland International Raceway
Report: Section Data Report
Session: Indy Pro 2000 Test Session 2

1.964 mile(s)



Indy Pro 2000 Championship
August 29, 2019

Section Data for Car 27 - Round-Garrido, Matt (R)

Lap	T/SPO to SF	SF to PI
20	T	
	S	
21	T	
	S	
22	T	
	S	
23	T	
	S	
24	T	
	S	
25	T	67.7182
	S	92.650
26	T	
	S	

Event: **Portland RTI Open Test**
Track: **Portland International Raceway**
Report: **Section Data Report**
Session: **Indy Pro 2000 Test Session 2**

1.964 mile(s)



Indy Pro 2000 Championship
August 29, 2019

Section Data for Car 28 - Kirkwood, Kyle (R)

Lap	T/S	I9 to I10	I10 to I11	I11 to SF	SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	PI to PO
1	T	5.7707	7.4966	6.2638	1.6421	5.3115	3.1099	6.1666	4.7529	4.9202	7.8714	5.0193	4.2640	7.1934	69.7824	243.9451
	S	122.996	85.130	127.137	142.417	99.741	57.441	101.168	93.675	85.640	80.556	73.625	114.329	139.332	101.321	3.849
2	T	5.6457	7.2319	6.2040	1.6343	5.4097	3.0503	6.1285	4.6528	4.8964	7.8102	4.9359	4.2435	7.5773	69.4205	
	S	125.719	88.245	128.363	143.097	97.930	58.564	101.797	95.690	86.056	81.188	74.869	114.882	132.273	101.849	
3	T	7.3093					3.1630	6.1977	4.6932	4.9327	7.9678	4.8920	4.2301	7.1520	528.4224	459.0626
	S	97.105					56.477	100.661	94.866	85.423	79.582	75.541	115.246	140.139	13.380	2.045
4	T	5.6162	7.1599	6.1883	1.6336	5.3344	3.0147	6.0666	4.5846	4.8605	7.8570	4.9086	4.2228	7.1211	68.5683	
	S	126.380	89.133	128.689	143.158	99.313	59.255	102.836	97.114	86.691	80.704	75.285	115.445	140.747	103.115	
5	T	5.5950	7.4031	6.2166	1.7775	6.2816	3.3950	8.1252	6.1025	5.6455	8.7170	5.3250	4.4725	8.0129	77.0694	
	S	126.858	86.205	128.103	131.569	84.337	52.617	76.781	72.958	74.637	72.742	69.398	108.999	125.082	91.741	
6	T	6.7382					4.3379	10.6945	5.0098	5.0112	7.9433	5.1115	4.2590	7.1936	377.2018	300.2667
	S	105.336					41.180	58.335	88.871	84.084	79.827	72.297	114.463	139.328	18.744	3.127
7	T	5.5406	7.2059	6.2073	1.6408	5.3108	3.0204	6.1102	4.5974	4.8522	7.8101	4.9279	4.2272	7.1518	68.6026	
	S	128.104	88.564	128.295	142.530	99.754	59.143	102.102	96.843	86.840	81.189	74.990	115.325	140.143	103.063	
8	T	5.5425	7.2367	6.1971	1.6402	5.3064	2.9809	6.0646	4.6005	4.8292	7.8690	4.9142	4.2422	7.1504	68.5739	
	S	128.060	88.187	128.506	142.582	99.837	59.927	102.870	96.778	87.253	80.581	75.200	114.917	140.170	103.106	
9	T	5.3999	7.2436	6.2507	1.6418	5.2158	3.0012	6.1535	4.5509	4.9640	7.8134	4.8867	4.2155	7.1282	68.4652	
	S	131.442	88.103	127.404	142.443	101.571	59.522	101.384	97.833	84.884	81.154	75.623	115.645	140.607	103.270	
10	T	5.4316					3.7248	9.4201	5.9812	5.7177	8.1603	4.9175	4.2151	7.1562	297.7809	224.6598
	S	130.675					47.959	66.227	74.438	73.695	77.704	75.149	115.656	140.057	23.744	4.179
11	T	5.5283	7.1928	6.1675	1.6340	5.3241	2.9552	6.0345	4.4978	4.7881	7.8292	4.8408	4.1948	7.1587	68.1458	
	S	128.389	88.725	129.123	143.123	99.505	60.448	103.383	98.988	88.002	80.991	76.340	116.215	140.008	103.754	
12	T	5.4434	7.1305	6.1599	1.6364	5.3364	2.9877	6.0241	4.4786	4.8042	7.7803	4.8330	4.2197	7.1638	67.9980	
	S	130.391	89.500	129.282	142.913	99.275	59.791	103.561	99.412	87.707	81.500	76.463	115.530	139.908	103.980	
13	T	5.4929	7.1505	6.1685	1.6361	5.2377	2.9492	6.0240	4.4774	4.8061	7.7773	4.8474	4.2067	7.1759	67.9497	
	S	129.216	89.250	129.102	142.940	101.146	60.571	103.563	99.439	87.673	81.531	76.236	115.887	139.672	104.053	
14	T	5.4472	7.1044	6.1535	1.6364	5.1797	2.9527	6.0236	4.4589	4.7392	7.7650	4.8621	4.2033	7.1663	67.6923	
	S	130.300	89.829	129.416	142.913	102.279	60.499	103.570	99.851	88.910	81.660	76.005	115.980	139.859	104.449	
15	T	5.5162	7.2640	6.1695	1.6363	5.2247	2.9656	6.0554	4.4680	4.8354	7.8045	4.8535	4.1866	7.1661	68.1458	
	S	128.671	87.855	129.081	142.922	101.398	60.236	103.026	99.648	87.141	81.247	76.140	116.443	139.863	103.754	
16	T	5.8127					3.9454	7.6514	5.5198	5.4966	8.5720	5.4452	4.4121	7.7991	195.1841	120.9116
	S	122.107					45.277	81.536	80.660	76.659	73.972	67.866	110.492	128.511	36.224	7.765
17	T	5.9139	7.2081	6.1563	1.6386	5.2038	2.9831	6.0666	4.5181	4.7442	7.8624	4.8324	4.2033	7.1417	68.4725	
	S	120.018	88.537	129.358	142.722	101.805	59.883	102.836	98.543	88.817	80.649	76.472	115.980	140.341	103.259	
18	T	5.4488	7.0218	6.1408	1.6320	5.1711	2.9432	6.0128	4.4180	4.7686	7.6870	4.8544	4.1834	7.0708	67.3527	
	S	130.262	90.886	129.684	143.299	102.449	60.695	103.756	100.776	88.362	82.489	76.126	116.532	141.748	104.976	
19	T	5.4498	7.0567	6.1256	1.6850	6.0983	3.4287	7.0383	5.0476	4.8895	7.7372	4.8488	4.1766	7.1054	70.6875	
	S	130.238	90.436	130.006	138.791	86.872	52.100	88.638	88.206	86.177	81.954	76.214	116.722	141.058	100.023	

Event: Portland RTI Open Test
Track: Portland International Raceway
Report: Section Data Report
Session: Indy Pro 2000 Test Session 2

1.964 mile(s)



Indy Pro 2000 Championship
August 29, 2019

Section Data for Car 28 - Kirkwood, Kyle (R)

Lap	T/SPO to SF	SF to PI
1	T 72.3599	
	S 95.621	
2	T	68.3593
	S	91.781
3	T 70.3038	
	S 98.417	
4	T	
	S	
5	T	75.5778
	S	83.015
6	T 78.1658	
	S 88.518	
7	T	
	S	
8	T	
	S	
9	T	63.1853
	S	99.297
10	T 78.3954	
	S 88.259	
11	T	
	S	
12	T	
	S	
13	T	
	S	
14	T	
	S	
15	T	63.9450
	S	98.117
16	T 78.8019	
	S 87.804	
17	T	
	S	
18	T	
	S	
19	T	
	S	

Event: Portland RTI Open Test
Track: Portland International Raceway
Report: Section Data Report
Session: Indy Pro 2000 Test Session 2

1.964 mile(s)



Indy Pro 2000 Championship
August 29, 2019

Section Data for Car 28 - Kirkwood, Kyle (R)

Lap	T/S	I9 to I10	I10 to I11	I11 to SF	SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	PI to PO
20	T	5.3744	7.0573	6.1609	1.6335	5.1531	2.9422	6.0059	4.3954	4.9208	7.6907	4.8650	4.1883	7.1249	67.5124	
	S	132.065	90.429	129.261	143.167	102.807	60.715	103.875	101.294	85.629	82.449	75.960	116.396	140.672	104.727	
21	T	5.3645	7.2110	6.1931	1.6330	5.1469	2.9303	6.0097	4.4663	4.8138	7.7235	4.8527	4.1820	7.0984	67.6252	
	S	132.309	88.501	128.589	143.211	102.930	60.962	103.809	99.686	87.532	82.099	76.153	116.571	141.197	104.553	
22	T	5.3807	7.0965	6.1666	1.6270	5.1247	2.9665	6.0238	4.4730	4.8358	7.7445	4.8975	4.1919	7.1307	67.6592	
	S	131.911	89.929	129.141	143.739	103.376	60.218	103.566	99.537	87.134	81.876	75.456	116.296	140.557	104.500	
23	T	5.7456	7.1929	6.1892	1.6315	5.0913	2.9443	6.0229	4.5038	4.8931	7.7425	4.8284	4.1654	7.0368		
	S	123.533	88.724	128.670	143.343	104.055	60.672	103.582	98.856	86.114	81.897	76.536	117.036	142.433		

Event: Portland RTI Open Test
Track: Portland International Raceway
Report: Section Data Report
Session: Indy Pro 2000 Test Session 2

1.964 mile(s)



Indy Pro 2000 Championship
August 29, 2019

Section Data for Car 28 - Kirkwood, Kyle (R)

Lap	T/SPO to SF	SF to PI
20	T	
	S	
21	T	
	S	
22	T	
	S	
23	T	65.7761
	S	95.386

Event: **Portland RTI Open Test**
Track: **Portland International Raceway**
Report: **Section Data Report**
Session: **Indy Pro 2000 Test Session 2**

1.964 mile(s)



Indy Pro 2000 Championship
August 29, 2019

Section Data for Car 3 - Comeau, Antoine (R)

Lap	T/S	I9 to I10	I10 to I11	I11 to SF	SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	PI to PO
1	T	6.4920	7.4901	6.2788	1.6556	5.9412	3.3840	6.3499	4.9031	5.1268	8.0546	5.1196	4.2818	7.2016	72.2791	338.9096
	S	109.330	85.203	126.834	141.256	89.169	52.789	98.248	90.805	82.188	78.724	72.182	113.854	139.174	97.821	2.770
2	T	6.5201					3.5438	6.4366	5.0094	5.1032	8.1639	4.9956	4.2830	7.2577	362.2940	292.8943
	S	108.859					50.408	96.924	88.878	82.569	77.670	73.974	113.822	138.098	19.516	3.205
3	T	6.0990	7.8219	6.4424	1.6649	6.1823	3.8313	6.3801	5.1685	5.0582	7.9986	4.9998	4.2643	7.2007	73.1120	
	S	116.375	81.589	123.613	140.467	85.692	46.626	97.783	86.142	83.303	79.275	73.912	114.321	139.191	96.706	
4	T	6.0090	7.5369	6.3377	1.6521	5.4683	3.2725	6.2649	4.7138	5.0775	7.9111	5.0830	4.2395	7.1924	70.7587	
	S	118.118	84.674	125.655	141.555	96.881	54.587	99.581	94.452	82.986	80.152	72.702	114.990	139.352	99.923	
5	T	6.0521	7.5178	6.2576	1.6432	5.3695	3.2218	6.2255	4.7404	4.9910	7.8665	5.0201	4.2485	7.1898	70.3438	
	S	117.277	84.889	127.263	142.322	98.663	55.446	100.211	93.922	84.425	80.606	73.613	114.746	139.402	100.512	
6	T	6.0378	7.4626	6.2573	1.6524	5.8208	3.5822	6.3559	4.7278	4.9696	7.9683	5.0806	4.2827	7.2302	71.4282	
	S	117.555	85.517	127.270	141.530	91.014	49.868	98.155	94.172	84.788	79.577	72.737	113.830	138.623	98.986	
7	T	5.9865	7.3336	6.2200	1.6502	5.6454	3.1578	6.2431	4.6764	5.0046	7.9401	4.9741	4.2548	7.2200	70.3066	
	S	118.562	87.022	128.033	141.718	93.841	56.570	99.929	95.207	84.195	79.859	74.294	114.576	138.819	100.565	
8	T	5.9401	7.3153	6.2083	1.6450	5.3332	3.1277	6.2017	4.7299	4.9786	7.8960	4.9773	4.2547	7.2101	69.8179	
	S	119.488	87.239	128.274	142.166	99.335	57.114	100.596	94.130	84.635	80.305	74.246	114.579	139.010	101.269	
9	T	5.8653	7.3372	6.1938	1.6425	5.2902	3.1363	6.1912	4.6882	4.9656	7.9671	4.9498	4.2551	7.2292	69.7115	
	S	121.012	86.979	128.574	142.383	100.142	56.958	100.766	94.968	84.857	79.589	74.659	114.568	138.642	101.424	
10	T	5.8716	7.3388	6.1856	1.6453	5.3620	3.2839	6.3686	4.7054	5.0312	8.0774	4.9609	4.2461	7.2141	70.2909	
	S	120.882	86.960	128.745	142.140	98.801	54.398	97.959	94.620	83.750	78.502	74.492	114.811	138.932	100.588	
11	T	5.8690	7.3152	6.1846	1.6438	5.3897	3.1054	6.1891	4.6961	4.9871	7.9408	4.9519	4.2549	7.2346	69.7622	
	S	120.936	87.241	128.766	142.270	98.294	57.524	100.800	94.808	84.491	79.852	74.627	114.574	138.539	101.350	
12	T	5.7947	7.4043	6.2243	1.6518	5.3322	3.1166	6.1973	4.7412	5.0367	8.0102	4.9458	4.2345	7.2248	69.9144	
	S	122.487	86.191	127.944	141.581	99.353	57.318	100.667	93.906	83.659	79.160	74.719	115.126	138.727	101.129	
13	T	5.9261					3.8271	6.7226	5.4254	5.3623	8.8731	5.0971	4.2995	7.2835	342.5615	270.5336
	S	119.771					46.677	92.801	82.063	78.579	71.462	72.501	113.385	137.609	20.640	3.470
14	T	6.3233	7.6084	6.2547	1.6637	5.6242	3.1462	6.1639	4.7085	4.9138	7.9910	4.8718	4.2335	7.2333	70.7363	
	S	112.247	83.879	127.322	140.568	94.195	56.778	101.212	94.558	85.751	79.351	75.854	115.153	138.564	99.954	
15	T	5.8303	7.1740	6.1668	1.6408	5.3123	3.0711	6.1287	4.6163	4.8966	7.9055	4.8271	4.2198	7.1805	68.9698	
	S	121.739	88.958	129.137	142.530	99.726	58.167	101.794	96.447	86.052	80.209	76.556	115.527	139.583	102.514	
16	T	5.7248	7.1461	6.1667	1.6376	5.3617	3.1582	6.1452	4.5631	4.8193	7.8576	4.8807	4.2151	7.1657	68.8418	
	S	123.982	89.305	129.139	142.809	98.807	56.563	101.520	97.571	87.433	80.698	75.716	115.656	139.871	102.705	
17	T	5.7033	7.2227	6.1946	1.6469	5.2552	3.1343	6.1640	4.5290	4.8837	7.8512	4.8864	4.2139	7.1803	68.8655	
	S	124.449	88.358	128.558	142.002	100.809	56.994	101.211	98.306	86.280	80.764	75.627	115.689	139.586	102.670	
18	T	5.6856	7.1930	6.1838	1.6394	5.2262	3.0717	6.1487	4.4961	4.8957	7.8522	4.8439	4.2205	7.1853	68.6421	
	S	124.837	88.723	128.782	142.652	101.369	58.156	101.463	99.025	86.068	80.753	76.291	115.508	139.489	103.004	
19	T	5.7163	7.2519	6.2037	1.6402	5.3344	3.0011	6.0747	4.4819	4.8970	7.7716	4.8438	4.2125	7.1672	68.5963	
	S	124.166	88.002	128.369	142.582	99.313	59.524	102.699	99.339	86.045	81.591	76.292	115.727	139.842	103.073	

Event: Portland RTI Open Test
Track: Portland International Raceway
Report: Section Data Report
Session: Indy Pro 2000 Test Session 2

1.964 mile(s)



Indy Pro 2000 Championship
August 29, 2019

Section Data for Car 3 - Comeau, Antoine (R)

Lap	T/SPO to SF	SF to PI
1	T 76.9083	67.6264
	S 89.965	92.776
2	T 74.1548	
	S 93.306	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	
	S	
7	T	
	S	
8	T	
	S	
9	T	
	S	
10	T	
	S	
11	T	
	S	
12	T	65.8244
	S	95.316
13	T 76.8810	
	S 89.997	
14	T	
	S	
15	T	
	S	
16	T	
	S	
17	T	
	S	
18	T	
	S	
19	T	
	S	

Event: Portland RTI Open Test
Track: Portland International Raceway
Report: Section Data Report
Session: Indy Pro 2000 Test Session 2

1.964 mile(s)



Indy Pro 2000 Championship
August 29, 2019

Section Data for Car 3 - Comeau, Antoine (R)

Lap	T/S	I9 to I10	I10 to I11	I11 to SF	SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	PI to PO
20	T	5.7153	7.2117	6.2006	1.6419	5.1848	3.1573	6.3134	4.5467	4.8784	8.1700	5.1662	4.2727	7.2415	69.7005	
	S	124.188	88.493	128.433	142.435	102.178	56.579	98.816	97.923	86.373	77.612	71.531	114.096	138.407	101.440	
21	T	5.8165														
	S	122.027														

Event: Portland RTI Open Test
Track: Portland International Raceway
Report: Section Data Report
Session: Indy Pro 2000 Test Session 2

1.964 mile(s)



Indy Pro 2000 Championship
August 29, 2019

Section Data for Car 3 - Comeau, Antoine (R)

Lap	T/SPO to SF	SF to PI
20	T	66.3254
	S	94.596
21	T	
	S	

Event: **Portland RTI Open Test**
 Track: **Portland International Raceway**
 Report: **Section Data Report**
 Session: **Indy Pro 2000 Test Session 2**

1.964 mile(s)



Indy Pro 2000 Championship
 August 29, 2019

Section Data for Car 51 - Abel, Jacob (R)

Lap	T/S	I9 to I10	I10 to I11	I11 to SF	SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	PI to PO
1	T	6.6734	7.5955	6.2755	1.6526	5.4857	3.1967	6.1609	4.7564	5.1651	7.9715	4.9668	4.2529	7.2335	71.3865	248.5486
	S	106.358	84.021	126.900	141.513	96.573	55.881	101.262	93.606	81.579	79.545	74.403	114.628	138.560	99.044	3.777
2	T	6.0042	7.3288	6.2209	1.6461	5.0557	3.3609	6.2872	4.6574	5.0699	8.0316	4.9374	4.2595	7.2288	70.0884	
	S	118.213	87.079	128.014	142.071	104.787	53.151	99.228	95.596	83.111	78.950	74.846	114.450	138.650	100.878	
3	T	6.4492					3.3287	6.3688	5.0022	5.2401	8.1235	5.0079	4.2761	7.1954	526.5756	456.0477
	S	110.056					53.666	97.956	89.006	80.411	78.056	73.792	114.006	139.294	13.427	2.059
4	T	6.0507	7.4280	6.2230	1.6437	5.1869	3.1064	6.1757	4.6174	4.9943	7.9582	4.9179	4.2455	7.1561	69.7038	
	S	117.304	85.916	127.971	142.279	102.137	57.506	101.019	96.424	84.369	79.678	75.143	114.827	140.059	101.435	
5	T	5.7690	7.1594	6.2626	1.6769	5.9556	3.1450	6.3155	4.9681	5.2272	8.6112	4.9542	4.2483	7.7676	72.0606	
	S	123.032	89.139	127.162	139.462	88.954	56.800	98.783	89.617	80.619	73.636	74.592	114.752	129.032	98.117	
6	T	7.6233					3.2679	6.2751	4.8341	5.0167	8.1595	4.9187	4.2648	7.2753	296.3240	225.9904
	S	93.106					54.664	99.419	92.101	83.992	77.712	75.131	114.308	137.764	23.860	4.154
7	T	5.8998	7.2444	6.2246	1.6512	5.1552	3.1959	6.2307	4.5668	5.0187	7.9989	4.9959	4.2589	7.2575	69.6985	
	S	120.305	88.093	127.938	141.633	102.765	55.895	100.127	97.492	83.959	79.272	73.970	114.466	138.102	101.443	
8	T	5.8948	7.3315	6.2479	1.6555	4.9824	3.2981	6.2107	4.6225	4.9431	7.9490	4.9878	4.2444	7.2525	69.6202	
	S	120.407	87.047	127.461	141.265	106.329	54.163	100.450	96.317	85.243	79.770	74.090	114.857	138.197	101.557	
9	T	5.8211	7.2857	6.2216	1.6525	5.0670	3.1747	6.2069	4.6053	4.9552	7.9642	4.8855	4.2354	7.2384	69.3135	
	S	121.931	87.594	128.000	141.521	104.554	56.269	100.511	96.677	85.035	79.618	75.641	115.101	138.466	102.006	
10	T	5.8644	7.2554	6.2440	1.6566	5.0580	3.2499	6.2320	4.6286	4.9793	7.8470	4.8347	4.2203	7.2503	69.3205	
	S	121.031	87.960	127.541	141.171	104.740	54.967	100.106	96.190	84.623	80.807	76.436	115.513	138.239	101.996	
11	T	5.8668	7.1850	6.2171	1.6544	5.1010	3.1421	6.1839	4.5641	4.8835	7.8571	5.0053	4.2432	7.2666	69.1701	
	S	120.981	88.821	128.092	141.359	103.857	56.853	100.885	97.550	86.283	80.703	73.831	114.890	137.929	102.218	
12	T	5.7796	7.1657	6.2123	1.6542	5.0698	3.1325	6.1471	4.5757	4.9193	8.2504	4.8765	4.2464	7.2633	69.2928	
	S	122.807	89.061	128.191	141.376	104.496	57.027	101.489	97.303	85.655	76.856	75.781	114.803	137.991	102.037	
13	T	5.8691					3.4809	6.3529	4.8641	5.1040	8.2220	4.9441	4.2710	7.3003	264.2320	196.4179
	S	120.934					51.319	98.201	91.533	82.556	77.121	74.745	114.142	137.292	26.758	4.780
14	T	6.0502	7.2279	6.1926	1.6587	5.1116	3.1268	6.1772	4.5690	4.8189	7.8879	4.8230	4.2516	7.2823	69.1777	
	S	117.314	88.294	128.599	140.992	103.641	57.131	100.995	97.445	87.440	80.388	76.621	114.663	137.631	102.206	
15	T	5.7387	7.1581	6.1912	1.6553	5.0095	3.1230	6.1593	4.4439	4.7461	7.8761	4.7454	4.2185	7.2468	68.3119	
	S	123.682	89.155	128.628	141.282	105.754	57.200	101.288	100.188	88.781	80.508	77.874	115.562	138.306	103.502	
16	T	5.7020	7.1296	6.1794	1.6548	4.9920	3.1071	6.1388	4.4479	4.8436	7.7480	4.8666	4.2037	7.2462	68.2597	
	S	124.478	89.512	128.874	141.324	106.124	57.493	101.626	100.098	86.994	81.839	75.935	115.969	138.317	103.581	
17	T	5.6880	7.0828	6.1654	1.6485	4.9890	3.3051	6.2381	4.4526	4.8445	7.9299	4.8183	4.2049	7.2538	68.6209	
	S	124.784	90.103	129.167	141.865	106.188	54.049	100.009	99.993	86.978	79.962	76.696	115.936	138.172	103.036	
18	T	5.7982	7.2226	6.1989	1.6548	5.0737	3.0628	6.1236	4.4455	4.8389	7.8976	4.7914	4.1966	7.2443	68.5489	
	S	122.413	88.359	128.469	141.324	104.415	58.325	101.879	100.152	87.078	80.289	77.127	116.165	138.353	103.144	
19	T	5.6711	7.0805	6.1713	1.6539	5.0667	3.1113	6.1377	4.4934	4.8554	7.7651	4.8731	4.2178	7.2402	68.3375	
	S	125.156	90.132	129.043	141.401	104.560	57.415	101.645	99.085	86.782	81.659	75.834	115.582	138.432	103.463	

Event: Portland RTI Open Test
Track: Portland International Raceway
Report: Section Data Report
Session: Indy Pro 2000 Test Session 2

1.964 mile(s)



Indy Pro 2000 Championship
August 29, 2019

Section Data for Car 51 - Abel, Jacob (R)

Lap	T/SPO to SF	SF to PI
1	T 77.0658	
	S 89.782	
2	T	67.8501
	S	92.470
3	T 72.9140	
	S 94.894	
4	T	
	S	
5	T	71.4712
	S	87.785
6	T 71.1008	
	S 97.314	
7	T	
	S	
8	T	
	S	
9	T	
	S	
10	T	
	S	
11	T	
	S	
12	T	64.3945
	S	97.432
13	T 73.0255	
	S 94.749	
14	T	
	S	
15	T	
	S	
16	T	
	S	
17	T	
	S	
18	T	
	S	
19	T	
	S	

Event: Portland RTI Open Test
Track: Portland International Raceway
Report: Section Data Report
Session: Indy Pro 2000 Test Session 2

1.964 mile(s)



Indy Pro 2000 Championship
August 29, 2019

Section Data for Car 51 - Abel, Jacob (R)

Lap	T/S	I9 to I10	I10 to I11	I11 to SF	SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	PI to PO
20	T	5.7244	7.2259	6.1895	1.6539	4.9832	3.1037	6.1242	4.4189	4.8547	7.7986	4.8411	4.2029	7.2012	68.3222	
	S	123.991	88.319	128.664	141.401	106.312	57.556	101.869	100.755	86.795	81.308	76.335	115.991	139.181	103.486	
21	T	5.6169	7.1410	6.1982	1.6467	5.0168	3.1388	6.1570	4.4363	4.9315	7.8793	4.9398	4.2213	7.2045	68.5281	
	S	126.364	89.369	128.483	142.020	105.600	56.912	101.326	100.360	85.443	80.476	74.810	115.486	139.118	103.175	
22	T	5.6407	7.2344	6.2320	1.6554	5.0214	3.1477	6.4461	4.6502	5.0122	7.8731	4.9006	4.2304	7.2128	69.2570	
	S	125.831	88.215	127.786	141.273	105.503	56.751	96.782	95.744	84.068	80.539	75.408	115.237	138.958	102.089	
23	T	5.7485	7.2120	6.2063	1.6522	5.0820	3.0449	6.0936	4.4461	4.8335	7.8414	4.8820	4.2030	7.2130	68.4585	
	S	123.471	88.489	128.315	141.547	104.245	58.667	102.380	100.139	87.176	80.865	75.696	115.989	138.954	103.280	
24	T	5.8035	7.2674	6.2151	1.6523	5.0965	3.0013	6.0669	4.4319	4.8338	7.8272	4.9000	4.2235	7.2209	68.5403	
	S	122.301	87.814	128.134	141.538	103.948	59.520	102.831	100.460	87.170	81.011	75.417	115.426	138.802	103.157	
25	T	5.5880	7.1038	6.2149	1.6494	5.0369	3.0995	6.2140	4.6051	4.9466	7.8389	5.0102	4.2509	7.2406	68.7988	
	S	127.017	89.837	128.138	141.787	105.178	57.634	100.396	96.681	85.182	80.890	73.759	114.682	138.424	102.769	
26	T	5.9436														
	S	119.418														

Event: Portland RTI Open Test
Track: Portland International Raceway
Report: Section Data Report
Session: Indy Pro 2000 Test Session 2

1.964 mile(s)



Indy Pro 2000 Championship
August 29, 2019

Section Data for Car 51 - Abel, Jacob (R)

Lap	T/SPO to SF	SF to PI
20	T	
	S	
21	T	
	S	
22	T	
	S	
23	T	
	S	
24	T	
	S	
25	T	64.0583
	S	97.943
26	T	
	S	

Event: **Portland RTI Open Test**
 Track: **Portland International Raceway**
 Report: **Section Data Report**
 Session: **Indy Pro 2000 Test Session 2**

1.964 mile(s)



Indy Pro 2000 Championship
 August 29, 2019

Section Data for Car 6 - de la Vara, Moises

Lap	T/S	I9 to I10	I10 to I11	I11 to SF	SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	PI to PO
1	T	6.2026	7.6749	6.4648	1.7037	5.4459	3.1355	6.2293	5.1002	5.1509	8.1535	5.0405	4.2846	7.3520	71.9384	284.5729
	S	114.431	83.152	123.185	137.268	97.279	56.972	100.150	87.296	81.804	77.769	73.315	113.780	136.327	98.284	3.299
2	T	5.8341	7.3482	6.3696	1.6904	5.3316	3.1650	6.2317	4.6665	4.9497	8.3267	5.0733	4.3153	7.4007	70.7028	
	S	121.659	86.849	125.026	138.348	99.365	56.441	100.111	95.409	85.129	76.152	72.841	112.970	135.429	100.002	
3	T	7.6800					3.2758	6.3572	4.8555	5.5408	8.7096	5.0560	4.3014	7.3399	515.5738	441.7543
	S	92.418					54.532	98.135	91.695	76.047	72.804	73.090	113.335	136.551	13.714	2.125
4	T	5.9612	7.3283	6.2910	1.6709	5.4232	3.1007	6.2256	4.6148	4.8669	8.1555	5.0486	4.3025	7.3134	70.3026	
	S	119.065	87.085	126.588	139.963	97.686	57.612	100.209	96.478	86.577	77.750	73.198	113.306	137.046	100.571	
5	T	5.6733	7.3365	6.2973	1.6744	5.9786	3.2079	6.2586	4.7535	5.0156	8.1704	5.0693	4.3026	7.6803	71.4183	
	S	125.108	86.987	126.461	139.670	88.612	55.686	99.681	93.663	84.011	77.608	72.899	113.304	130.499	99.000	
6	T	6.8824					3.3461	6.3275	4.8054	5.0863	8.1254	4.9675	4.2865	7.3677	331.8356	260.5861
	S	103.129					53.386	98.596	92.651	82.843	78.038	74.393	113.729	136.036	21.307	3.603
7	T	5.7071	7.3659	6.3415	1.6826	5.6311	3.3397	6.3410	4.7728	4.9779	8.0765	4.9054	4.2870	7.3601	70.7886	
	S	124.367	86.640	125.580	138.989	94.080	53.489	98.386	93.284	84.647	78.511	75.334	113.716	136.177	99.880	
8	T	5.6742	7.2786	6.3075	1.6831	5.3760	3.0792	6.1709	4.7005	5.2541	7.9700	5.0324	4.3011	7.3503	70.1779	
	S	125.088	87.679	126.257	138.948	98.544	58.014	101.098	94.719	80.197	79.560	73.433	113.343	136.358	100.750	
9	T	5.6924	7.4653	6.3211	1.6823	5.4182	3.1027	6.2095	4.6550	4.9198	7.9573	5.0724	4.3057	7.3333	70.1350	
	S	124.688	85.486	125.985	139.014	97.777	57.574	100.469	95.645	85.646	79.687	72.854	113.222	136.674	100.811	
10	T	5.6097	7.4524	6.4087	1.6929	5.3524	3.1384	6.1885	4.7461	4.9763	7.9916	5.0739	4.2892	7.3212	70.2413	
	S	126.526	85.634	124.263	138.144	98.979	56.920	100.810	93.809	84.674	79.345	72.833	113.658	136.900	100.659	
11	T	5.6707	7.2634	6.3021	1.6776	5.2559	3.0846	6.1777	4.6259	4.9766	7.9728	4.9620	4.2795	7.3104	69.5592	
	S	125.165	87.863	126.365	139.404	100.796	57.912	100.986	96.247	84.669	79.532	74.475	113.915	137.102	101.646	
12	T	5.5878	7.2519	6.2788	1.6792	5.2080	3.1564	6.2033	4.6646	5.1242	7.8931	4.9621	4.2692	7.2928	69.5714	
	S	127.022	88.002	126.834	139.271	101.723	56.595	100.570	95.448	82.230	80.335	74.474	114.190	137.433	101.628	
13	T	5.5452	7.3898	6.3423	1.6827				5.0353	5.3516	8.1793	4.9641	4.2916	7.3456	77.5816	
	S	127.998	86.360	125.564	138.981				88.421	78.736	77.524	74.444	113.594	136.445	91.135	
14	T	5.7885	7.3005	6.2778	1.6810	5.3058	3.1132	6.2131	4.6052	5.0734	7.9225	4.8999	4.2884	7.3630	69.8323	
	S	122.618	87.416	126.854	139.122	99.848	57.380	100.411	96.679	83.054	80.037	75.419	113.679	136.123	101.248	
15	T	5.6699	7.3465	6.2894	1.6767	5.2894	3.1509	6.1824	4.9995	5.3204	8.1140	5.0326	4.2998	7.3902	70.7617	
	S	125.183	86.869	126.620	139.479	100.157	56.694	100.910	89.054	79.198	78.148	73.430	113.377	135.622	99.918	
16	T	5.7827					3.5870	6.7105	6.0663	5.8380	8.7097	5.2436	4.3895	7.5715	224.1995	147.9168
	S	122.741					49.801	92.968	73.394	72.176	72.803	70.476	111.060	132.374	31.536	6.347
17	T	6.2572	7.5073	6.2892	1.6880	5.5276	3.1221	6.2215	4.7817	5.1309	8.0098	4.9588	4.2754	7.3547	71.1242	
	S	113.433	85.008	126.624	138.545	95.841	57.217	100.275	93.111	82.123	79.164	74.523	114.024	136.276	99.409	
18	T	5.6181	7.1173	6.2702	1.6849	5.0583	3.2152	6.2307	5.0740	5.4907	7.9043	4.9610	4.2647	7.3259	70.2153	
	S	126.337	89.666	127.008	138.800	104.733	55.560	100.127	87.747	76.741	80.221	74.490	114.311	136.812	100.696	
19	T	5.6001	7.0885	6.2560	1.6815	5.3916	3.0008	6.0903	4.7200	4.9720	7.9395	4.8683	4.2559	7.3212	69.1857	
	S	126.743	90.031	127.296	139.080	98.259	59.530	102.436	94.328	84.747	79.865	75.909	114.547	136.900	102.195	

Event: Portland RTI Open Test
Track: Portland International Raceway
Report: Section Data Report
Session: Indy Pro 2000 Test Session 2

1.964 mile(s)



Indy Pro 2000 Championship
August 29, 2019

Section Data for Car 6 - de la Vara, Moises

Lap	T/SPO to SF	SF to PI
1	T 75.8591	
	S 91.210	
2	T	70.6175
	S	88.846
3	T 73.9334	
	S 93.585	
4	T	
	S	
5	T	70.5288
	S	88.958
6	T 72.2464	
	S 95.771	
7	T	
	S	
8	T	
	S	
9	T	
	S	
10	T	
	S	
11	T	
	S	
12	T	
	S	
13	T	
	S	
14	T	
	S	
15	T	65.7455
	S	95.430
16	T 82.0468	
	S 84.331	
17	T	
	S	
18	T	
	S	
19	T	
	S	

Event: Portland RTI Open Test
Track: Portland International Raceway
Report: Section Data Report
Session: Indy Pro 2000 Test Session 2

1.964 mile(s)



Indy Pro 2000 Championship
August 29, 2019

Section Data for Car 6 - de la Vara, Moises

Lap	T/S	I9 to I10	I10 to I11	I11 to SF	SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	PI to PO
20	T	5.5476	7.2092	6.2893	1.6808	5.2916	3.0409	6.1106	4.6352	4.8426	7.8212	5.0773	4.2618	7.2984	69.1065	
	S	127.942	88.523	126.622	139.138	100.116	58.745	102.095	96.054	87.012	81.073	72.784	114.388	137.328	102.312	
21	T	5.5236	7.2549	6.2636	1.6654	5.3546	2.9991	6.0910	4.5243	4.8962	7.9957	4.9288	4.2629	7.2651	69.0252	
	S	128.498	87.966	127.142	140.425	98.938	59.563	102.424	98.408	86.059	79.304	74.977	114.359	137.957	102.432	
22	T	5.4562	7.0667	6.2324	1.6635	5.2687	3.0097	6.1082	4.4678	4.8765	7.9288	4.9166	4.2918	7.3185	68.6054	
	S	130.086	90.308	127.778	140.585	100.551	59.354	102.135	99.652	86.407	79.973	75.163	113.589	136.951	103.059	
23	T	5.7099	7.1232	6.2394	1.6693	5.2013	2.9894	6.0983	4.5501	4.8840	7.9373	4.9071	4.2532	7.2875	68.8500	
	S	124.306	89.592	127.635	140.097	101.854	59.757	102.301	97.850	86.274	79.887	75.308	114.620	137.533	102.693	
24	T	5.5045	7.3328	6.3727	1.6769	5.2085	3.2629	6.3972	4.9117	5.6137	8.0400	4.9163	4.2537	7.2663	70.7572	
	S	128.944	87.031	124.965	139.462	101.713	54.748	97.521	90.646	75.060	78.867	75.167	114.606	137.934	99.925	
25	T	5.4294	7.0821	6.2740	1.6740	5.4271	2.9909	6.0805	4.5724	4.9448	8.0151	4.9059	4.2510	7.2767	68.9239	
	S	130.728	90.112	126.931	139.703	97.616	59.727	102.601	97.373	85.213	79.112	75.327	114.679	137.737	102.583	
26	T	5.5400	7.1646	6.2841	1.6767	5.2548	3.0087	6.0887	4.5228	4.9768	7.7777	4.9056	4.2443	7.2564	68.7012	
	S	128.118	89.074	126.727	139.479	100.817	59.373	102.463	98.441	84.666	81.527	75.331	114.860	138.123	102.915	
27	T	5.7942														
	S	122.497														

Event: Portland RTI Open Test
Track: Portland International Raceway
Report: Section Data Report
Session: Indy Pro 2000 Test Session 2

1.964 mile(s)



Indy Pro 2000 Championship
August 29, 2019

Section Data for Car 6 - de la Vara, Moises

Lap	T/SPO to SF	SF to PI
20	T	
	S	
21	T	
	S	
22	T	
	S	
23	T	
	S	
24	T	
	S	
25	T	
	S	
26	T	
	S	
27	T	
	S	

Event: **Portland RTI Open Test**
Track: **Portland International Raceway**
Report: **Section Data Report**
Session: **Indy Pro 2000 Test Session 2**

1.964 mile(s)



Indy Pro 2000 Championship
August 29, 2019

Section Data for Car 68 - Frost, Danial (R)

Lap	T/S	I9 to I10	I10 to I11	I11 to SF	SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	PI to PO
1	T	5.9389	7.6603	6.3497	1.6556	5.3383	3.1288	6.1948	4.6740	5.0417	8.0346	4.9404	4.2332	7.1543	70.3446	250.0768
	S	119.512	83.310	125.418	141.256	99.240	57.094	100.708	95.256	83.576	78.920	74.801	115.161	140.094	100.511	3.754
2	T	5.7854	7.3226	6.2110	1.6443	5.2766	3.1056	6.1742	4.6318	4.9674	7.9857	4.9456	4.2146	7.4161	69.6809	
	S	122.683	87.152	128.218	142.227	100.400	57.521	101.044	96.124	84.826	79.403	74.722	115.669	135.148	101.468	
3	T	6.8960					3.3989	6.3506	4.7456	5.0088	8.0111	5.0131	4.2762	7.1578	541.5114	470.6328
	S	102.925					52.557	98.237	93.819	84.125	79.152	73.716	114.003	140.025	13.057	1.995
4	T	5.6507	7.2728	6.2768	1.6592	5.2662	3.0908	6.1655	4.5384	4.9204	7.7682	5.0882	4.2875	7.1481	69.1328	
	S	125.608	87.749	126.874	140.950	100.599	57.796	101.186	98.102	85.636	81.626	72.628	113.703	140.215	102.273	
5	T	5.6510	7.1592	6.2321	2.1090	6.9090	3.4725	7.3461	5.7174	5.9884	8.7174	4.9512	4.2452	7.1844	75.6829	
	S	125.601	89.141	127.784	110.888	76.679	51.443	84.924	77.872	70.363	72.739	74.638	114.836	139.507	93.421	
6	T	6.8623					3.2219	6.2541	4.6755	4.9915	7.9425	4.9197	4.2644	7.2388	596.8419	527.4505
	S	103.431					55.444	99.753	95.226	84.416	79.835	75.115	114.319	138.458	11.846	1.780
7	T	5.7640	7.1310	6.2041	1.6470	5.1632	3.1824	6.1533	4.5202	4.8703	7.9593	4.8885	4.2422	7.1951	68.9206	
	S	123.139	89.494	128.361	141.994	102.606	56.133	101.387	98.497	86.517	79.667	75.595	114.917	139.299	102.588	
8	T	5.7009	7.1336	6.1896	1.6436	5.0849	3.0566	6.1435	4.5325	4.9392	7.8347	4.8585	4.2254	7.1734	68.5164	
	S	124.502	89.461	128.662	142.287	104.185	58.443	101.549	98.230	85.310	80.934	76.062	115.374	139.721	103.193	
9	T	5.5586	7.2068	6.1600	1.6374	5.1072	3.2348	6.1932	4.5460	4.9399	7.7824	4.8707	4.2306	7.2311	68.6987	
	S	127.689	88.553	129.280	142.826	103.731	55.223	100.734	97.938	85.298	81.478	75.871	115.232	138.606	102.919	
10	T	5.6248	7.0759	6.1218	1.6310	5.3597	3.1039	6.1950	4.4830	4.8958	7.7725	4.9703	4.2681	7.1719	68.6737	
	S	126.186	90.191	130.087	143.387	98.844	57.552	100.704	99.315	86.066	81.581	74.351	114.219	139.750	102.956	
11	T	5.5935	7.2845	6.2028	1.6369	5.1177	3.1739	6.1389	4.4935	4.9456	7.7200	4.9332	4.2492	7.1776	68.6673	
	S	126.892	87.608	128.388	142.870	103.518	56.283	101.625	99.083	85.200	82.136	74.910	114.727	139.639	102.966	
12	T	5.5402	7.1280	6.1655	1.6347	5.1905	3.1668	7.0979	4.5901	5.0138	7.8975	4.9012	4.2152	7.1446	69.6860	
	S	128.113	89.532	129.164	143.062	102.066	56.409	87.894	96.997	84.041	80.290	75.399	115.653	140.284	101.461	
13	T	5.5954	7.2129	6.1612	1.6301	5.1393	3.4486	6.3859	4.9670	5.1489	8.0078	5.0018	4.2723	7.1703	463.3362	325.4605
	S	126.849	88.478	129.255	143.466	103.083	51.800	97.694	89.637	81.836	79.184	73.882	114.107	139.781	15.260	2.885
14	T	5.7114	7.1722	6.1409	1.6271	5.1489	3.0618	6.1436	4.5165	4.8467	7.7337	4.9002	4.2321	7.1375	68.3726	
	S	124.273	88.980	129.682	143.730	102.890	58.344	101.547	98.578	86.938	81.991	75.414	115.191	140.423	103.410	
15	T	5.5575	7.0689	6.1633	1.6336	5.1736	2.9763	6.0429	4.4000	4.8709	7.6968	4.8298	4.2113	7.1276	67.7525	
	S	127.714	90.280	129.211	143.158	102.399	60.020	103.239	101.188	86.506	82.384	76.514	115.760	140.619	104.356	
16	T	5.5274	7.1296	6.1514	1.6232	5.2124	2.9808	6.0616	4.4140	4.8952	7.6644	4.8050	4.1842	7.0967	67.7459	
	S	128.410	89.512	129.461	144.076	101.637	59.929	102.921	100.867	86.077	82.732	76.909	116.510	141.231	104.366	
17	T	5.5108	7.0938	6.1279	1.6205	5.1521	2.9962	6.0822	4.4864	4.9126	7.7236	4.8267	4.1802	7.0502	67.7632	
	S	128.797	89.963	129.957	144.316	102.827	59.621	102.572	99.239	85.772	82.098	76.563	116.621	142.162	104.340	
18	T	5.4715	7.2403	6.2287	1.6330	5.1523	2.9564	6.0456	4.4179	4.9080	7.7994	4.9077	4.2012	7.0796	68.0416	
	S	129.722	88.143	127.854	143.211	102.823	60.424	103.193	100.778	85.852	81.300	75.299	116.038	141.572	103.913	
19	T	6.2867														
	S	112.901														

Event: Portland RTI Open Test
Track: Portland International Raceway
Report: Section Data Report
Session: Indy Pro 2000 Test Session 2

1.964 mile(s)



Indy Pro 2000 Championship
August 29, 2019

Section Data for Car 68 - Frost, Danial (R)

Lap	T/SPO to SF	SF to PI
1	T 73.0097	
	S 94.769	
2	T	68.6207
	S	91.431
3	T 71.8201	
	S 96.339	
4	T	
	S	
5	T	74.0682
	S	84.707
6	T 71.0629	
	S 97.366	
7	T	
	S	
8	T	
	S	
9	T	
	S	
10	T	
	S	
11	T	
	S	
12	T	
	S	
13	T 74.2065	63.7242
	S 93.241	98.457
14	T	
	S	
15	T	
	S	
16	T	
	S	
17	T	
	S	
18	T	65.6615
	S	95.552
19	T	
	S	

Event: **Portland RTI Open Test**
Track: **Portland International Raceway**
Report: **Section Data Report**
Session: **Indy Pro 2000 Test Session 2**

1.964 mile(s)



Indy Pro 2000 Championship
August 29, 2019

Section Data for Car 7 - Enders, Kory (R)

Lap	T/S	I9 to I10	I10 to I11	I11 to SF	SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	PI to PO
1	T	6.2181	7.4786	6.3083	1.6627	5.4793	3.0706	6.1839	4.6751	5.0947	7.9104	4.9751	4.3039	7.2538	70.6145	274.6980
	S	114.146	85.334	126.241	140.653	96.686	58.176	100.885	95.234	82.706	80.159	74.279	113.269	138.172	100.127	3.418
2	T	5.9188	7.2993	6.2526	1.6465	5.3954	3.2408	6.2684	4.7777	4.9270	8.0697	5.0251	4.3095	7.2226	70.3534	
	S	119.918	87.431	127.365	142.037	98.190	55.121	99.525	93.189	85.521	78.577	73.540	113.122	138.769	100.498	
3	T	6.0265				6.6696	3.2930	6.3276	4.8505	4.9680	8.0241	4.9067	4.2551	7.1699	529.0496	459.0501
	S	117.775				79.431	54.247	98.594	91.790	84.816	79.023	75.314	114.568	139.789	13.364	2.045
4	T	6.0297	7.3984	6.2200	1.6296	5.3685	3.0609	6.1759	4.6852	4.8836	7.9526	4.9664	4.2717	7.1394	69.7819	
	S	117.713	86.259	128.033	143.510	98.682	58.361	101.016	95.028	86.281	79.734	74.409	114.123	140.386	101.321	
5	T	5.8246	7.2221	6.1726	1.6757	6.5635	3.2437	6.3373	4.8378	4.9309	8.2087	4.9345	4.2122	8.0427	72.2063	
	S	121.858	88.365	129.018	139.562	80.715	55.072	98.443	92.031	85.454	77.246	74.890	115.735	124.619	97.919	
6	T	7.3678					3.2136	6.2585	4.7849	4.9437	8.0302	4.9325	4.2669	7.2149	296.1704	225.6295
	S	96.334					55.588	99.683	93.048	85.232	78.963	74.921	114.252	138.917	23.873	4.161
7	T	5.9093	7.2836	6.1884	1.6320	5.3252	3.0873	6.3070	4.5887	4.9224	8.0071	5.0548	4.2876	7.2248	69.8182	
	S	120.111	87.619	128.687	143.299	99.484	57.862	98.916	97.027	85.601	79.191	73.108	113.700	138.727	101.269	
8	T	5.8627					3.5258	6.4946	5.0950	5.1347	8.1142	4.9934	4.2990	7.9892	855.0828	784.6379
	S	121.066					50.665	96.059	87.385	82.062	78.146	74.007	113.398	125.453	8.269	1.197
9	T	6.2416	7.5083	6.4168	1.6819	5.5491	3.0231	6.1588	4.8238	4.9467	7.7519	4.9042	4.2625	7.2995	70.5682	
	S	113.716	84.997	124.106	139.047	95.470	59.090	101.296	92.298	85.181	81.798	75.353	114.370	137.307	100.192	
10	T	5.7770	7.1578	6.2320	1.6670	5.3613	2.9962	6.1348	4.6734	4.8166	7.7405	5.0459	4.2649	7.2773	69.1447	
	S	122.862	89.159	127.786	140.290	98.814	59.621	101.693	95.268	87.482	81.919	73.237	114.305	137.726	102.255	
11	T	5.7584	7.1705	6.2201	1.6648	5.3230	2.9621	6.1220	4.5848	4.8245	7.6973	5.0958	4.3130	7.2902	69.0265	
	S	123.259	89.001	128.031	140.476	99.525	60.307	101.905	97.109	87.338	82.378	72.520	113.030	137.482	102.430	
12	T	5.6725	7.4722	6.3364	1.6706	5.2585	3.1016	6.3988	4.6863	4.7587	7.9285	5.2820	4.3229	7.2774	70.1664	
	S	125.125	85.407	125.681	139.988	100.746	57.595	97.497	95.006	88.546	79.976	69.963	112.772	137.724	100.766	
13	T	5.7001	7.8971	6.5414	1.6845	5.3126	3.1949	6.5409	4.5914	4.7685	7.8093	5.7783	4.5072	7.3606	71.6868	
	S	124.519	80.812	121.742	138.833	99.720	55.913	95.379	96.970	88.364	81.197	63.954	108.160	136.167	98.629	
14	T	5.6843	7.5196	6.3890	1.6716	5.3757	3.0565	6.2600	4.5660	4.8843	7.7061	5.3775	4.4172	7.3334	70.2412	
	S	124.865	84.869	124.646	139.904	98.550	58.445	99.659	97.509	86.269	82.284	68.721	110.364	136.672	100.659	

Event: Portland RTI Open Test
Track: Portland International Raceway
Report: Section Data Report
Session: Indy Pro 2000 Test Session 2

1.964 mile(s)



Indy Pro 2000 Championship
August 29, 2019

Section Data for Car 7 - Enders, Kory (R)

Lap	T/SPO to SF	SF to PI
1	T 74.2491	
	S 93.188	
2	T	69.0743
	S	90.831
3	T 71.4560	
	S 96.830	
4	T	
	S	
5	T	71.8066
	S	87.375
6	T 71.1026	
	S 97.311	
7	T	65.0168
	S	96.500
8	T 76.0317	
	S 91.003	
9	T	
	S	
10	T	
	S	
11	T	
	S	
12	T	
	S	
13	T	
	S	
14	T	95.3740
	S	65.784

Event: **Portland RTI Open Test**
 Track: **Portland International Raceway**
 Report: **Section Data Report**
 Session: **Indy Pro 2000 Test Session 2**

1.964 mile(s)



Indy Pro 2000 Championship
 August 29, 2019

Section Data for Car 8 - Thompson, Parker

Lap	T/S	I9 to I10	I10 to I11	I11 to SF	SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	PI to PO
1	T	5.9264	7.5073	6.2917	1.6485	5.4617	3.1829	6.1473	4.6467	5.0015	7.7518	5.1126	4.2530	7.1847	70.1161	297.7776
	S	119.765	85.008	126.574	141.865	96.998	56.124	101.486	95.816	84.247	81.799	72.281	114.625	139.501	100.838	3.153
2	T	5.8667	7.8066	6.4680	1.6733	5.3151	3.1339	6.1352	4.5973	4.9515	7.8383	5.2102	4.4138	7.3655	70.7754	
	S	120.983	81.749	123.124	139.762	99.673	57.001	101.686	96.845	85.098	80.896	70.927	110.449	136.077	99.899	
3	T	8.0882					3.2067	6.2507	4.6962	5.0475	7.8679	4.9505	4.2695	7.2278	530.4327	457.9393
	S	87.754					55.707	99.807	94.806	83.480	80.592	74.648	114.182	138.669	13.329	2.050
4	T	5.8131	7.1997	6.2143	1.6481	5.4118	3.0192	6.1010	4.5904	4.9149	7.7327	4.9466	4.2671	7.2383	69.0972	
	S	122.099	88.640	128.150	141.899	97.892	59.167	102.256	96.991	85.732	82.001	74.707	114.246	138.468	102.325	
5	T	7.0447					3.1698	6.2137	4.7395	5.0961	7.9297	4.9590	4.2599	7.2692	362.1876	292.8862
	S	100.753					56.356	100.401	93.940	82.684	79.964	74.520	114.439	137.879	19.521	3.208
6	T	5.8409	7.2543	6.2283	1.6517	5.3055	3.0624	6.1239	4.5548	5.0040	7.6907	4.9232	4.2549	7.2290	69.1236	
	S	121.518	87.973	127.862	141.590	99.853	58.332	101.874	97.749	84.205	82.449	75.062	114.574	138.646	102.286	
7	T	5.7064	7.4248	6.2437	1.6491	5.2450	2.9954	6.1081	4.5869	4.9965	7.6210	5.0233	4.2702	7.2165	69.0869	
	S	124.382	85.953	127.547	141.813	101.005	59.637	102.137	97.065	84.332	83.203	73.566	114.163	138.886	102.341	
8	T	5.6603					3.2501	6.2208	4.6528	5.0152	7.7068	4.9364	4.2503	7.2212	174.3281	108.6218
	S	125.395					54.963	100.287	95.690	84.017	82.277	74.861	114.698	138.796	40.558	8.643
9	T	5.6916	7.2093	6.2080	1.6509	5.3566	2.9819	6.0877	4.5193	4.9270	7.6651	4.9208	4.2362	7.2083	68.6627	
	S	124.705	88.522	128.280	141.658	98.901	59.907	102.479	98.517	85.521	82.724	75.099	115.080	139.044	102.973	
10	T	5.6600	7.2210	6.1946	1.6467	5.1793	2.9535	6.0914	4.5480	4.9413	7.7087	4.9020	4.2283	7.2006	68.4754	
	S	125.402	88.379	128.558	142.020	102.287	60.483	102.417	97.895	85.274	82.257	75.387	115.295	139.193	103.255	
11	T	5.6130	7.2470	6.1794	1.6431	5.2434	2.9643	6.0868	4.5362	4.9603	7.6684	4.8987	4.2445	7.2012	68.4863	
	S	126.452	88.062	128.874	142.331	101.036	60.263	102.495	98.150	84.947	82.689	75.437	114.855	139.181	103.238	
12	T	5.6493					3.2363	6.2188	4.7144	5.0390	7.7754	4.9378	4.2320	7.2150	148.7206	83.8226
	S	125.639					55.198	100.319	94.440	83.620	81.551	74.840	115.194	138.915	47.541	11.201
13	T	6.1614	7.3349	6.1907	1.6470	5.0961	2.9894	6.1122	4.7363	5.0380	7.8743	4.9737	4.2759	7.2370	69.6669	
	S	115.197	87.006	128.639	141.994	103.957	59.757	102.069	94.003	83.637	80.527	74.300	114.011	138.493	101.489	
14	T	6.7759					3.2412	6.2649	4.6726	5.1072	7.7566	4.9600	4.2328	7.2143	196.1107	126.8779
	S	104.750					55.114	99.581	95.285	82.504	81.749	74.505	115.172	138.929	36.053	7.400
15	T	5.7523	7.2464	6.1669	1.6351	5.1552	2.9798	6.0927	4.5352	4.9692	7.7173	4.9083	4.2215	7.1833	68.5632	
	S	123.389	88.069	129.135	143.027	102.765	59.949	102.395	98.171	84.795	82.165	75.290	115.480	139.528	103.122	
16	T	5.5992	7.1782	6.1405	1.6305	5.2160	3.0394	6.1115	4.5420	4.9674	7.6284	4.9917	4.2330	7.1760	68.4538	
	S	126.763	88.906	129.690	143.431	101.567	58.774	102.080	98.024	84.826	83.122	74.032	115.167	139.670	103.287	
17	T	5.5756					3.2375	6.4607	4.6652	5.0559	7.7318	4.9116	4.2191	7.1720	157.3894	91.9061
	S	127.300					55.177	96.563	95.436	83.341	82.011	75.239	115.546	139.748	44.923	10.215
18	T	5.6151	7.1823	6.1774	1.6413	5.2114	2.9897	6.0688	4.4844	4.9755	7.6491	4.8722	4.2164	7.1890	68.2726	
	S	126.404	88.855	128.916	142.487	101.657	59.751	102.799	99.284	84.688	82.897	75.848	115.620	139.418	103.561	
19	T	5.5423	7.1736	6.1938	1.6407	5.2137	2.9495	6.0884	4.4844	4.9208	7.6057	4.9209	4.2122	7.1702	68.1162	
	S	128.065	88.963	128.574	142.539	101.612	60.565	102.468	99.284	85.629	83.370	75.097	115.735	139.783	103.799	

Event: Portland RTI Open Test
Track: Portland International Raceway
Report: Section Data Report
Session: Indy Pro 2000 Test Session 2

1.964 mile(s)



Indy Pro 2000 Championship
August 29, 2019

Section Data for Car 8 - Thompson, Parker

Lap	T/SPO to SF	SF to PI
1	T 72.6620	
	S 95.223	
2	T	71.5769
	S	87.655
3	T 70.7777	
	S 97.758	
4	T	67.8192
	S	92.512
5	T 70.6758	
	S 97.899	
6	T	
	S	
7	T	64.1229
	S	97.845
8	T 70.4043	
	S 98.277	
9	T	
	S	
10	T	
	S	
11	T	63.3364
	S	99.060
12	T 70.6955	
	S 97.872	
13	T	67.1627
	S	93.416
14	T 71.2156	
	S 97.157	
15	T	
	S	
16	T	63.2775
	S	99.152
17	T 70.7165	
	S 97.843	
18	T	
	S	
19	T	
	S	

Event: Portland RTI Open Test
Track: Portland International Raceway
Report: Section Data Report
Session: Indy Pro 2000 Test Session 2

1.964 mile(s)



Indy Pro 2000 Championship
August 29, 2019

Section Data for Car 8 - Thompson, Parker

Lap	T/S	I9 to I10	I10 to I11	I11 to SF	SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	PI to PO
20	T	5.5409	7.1907	6.1872	1.6386	5.1836	3.0339	6.1028	4.4973	4.9480	7.6507	4.9277	4.2122	7.1192	68.2328	
	S	128.097	88.751	128.711	142.722	102.202	58.880	102.226	98.999	85.158	82.880	74.993	115.735	140.784	103.622	
21	T	5.5270	7.2293	6.1973	1.6361	5.2371	2.9859	6.0840	4.5270	5.0347	7.6077	4.9473	4.2016	7.1349	68.3499	
	S	128.419	88.277	128.502	142.940	101.158	59.827	102.542	98.349	83.692	83.349	74.696	116.027	140.475	103.444	
22	T	5.5900	7.2127	6.2122	1.6395	5.2682	2.9956	6.0613	4.5443	5.0465	7.7179	4.9671	4.2234	7.1547	68.6334	
	S	126.972	88.480	128.193	142.643	100.560	59.633	102.926	97.975	83.496	82.158	74.399	115.428	140.086	103.017	
23	T	5.9890														
	S	118.513														

Event: Portland RTI Open Test
Track: Portland International Raceway
Report: Section Data Report
Session: Indy Pro 2000 Test Session 2

1.964 mile(s)



Indy Pro 2000 Championship
August 29, 2019

Section Data for Car 8 - Thompson, Parker

Lap	T/SPO to SF	SF to PI
20	T	
	S	
21	T	
	S	
22	T	66.0765
	S	94.952
23	T	
	S	

Event: Portland RTI Open Test
Track: Portland International Raceway
Report: Section Data Report
Session: Indy Pro 2000 Test Session 2

1.964 mile(s)



Indy Pro 2000 Championship
August 29, 2019

Section Data for Car 90 - Lastochkin, Nikita

Lap	T/S	I9 to I10	I10 to I11	I11 to SF	SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	PI to PO
1	T	6.1016	7.5536	6.3606	1.6678	5.2882	3.1584	6.2710	4.7798	4.9829	7.8569	4.9835	4.3006	7.2780	70.5829	249.3776
	S	116.326	84.487	125.203	140.223	100.180	56.559	99.484	93.148	84.562	80.705	74.154	113.356	137.713	100.172	3.765
2	T	5.9718	7.3289	6.2553	1.6497	5.1670	3.1800	6.2661	4.6282	4.9486	7.8812	4.9113	4.2839	7.2981	69.7701	
	S	118.854	87.077	127.310	141.761	102.530	56.175	99.562	96.199	85.148	80.456	75.244	113.798	137.333	101.339	
3	T	7.1206					3.3865	6.3460	4.8680	4.9962	7.8880	4.8925	4.2761	7.2218	527.8565	456.9608
	S	99.679					52.750	98.308	91.460	84.337	80.387	75.533	114.006	138.784	13.395	2.055
4	T	5.9719	7.2906	6.2318	1.6696											
	S	118.852	87.535	127.790	140.072											

Event: Portland RTI Open Test
Track: Portland International Raceway
Report: Section Data Report
Session: Indy Pro 2000 Test Session 2

1.964 mile(s)



Indy Pro 2000 Championship
August 29, 2019

Section Data for Car 90 - Lastochkin, Nikita

Lap	T/SPO to SF	SF to PI
1	T	73.6390
	S	93.960
2	T	68.6104
	S	91.445
3	T	71.9937
	S	96.107
4	T	
	S	

Event: Portland RTI Open Test
Track: Portland International Raceway
Report: Section Data Report
Session: Indy Pro 2000 Test Session 2

1.964 mile(s)



Indy Pro 2000 Championship
August 29, 2019

Section Data for Car

Report Support Information

Section Legend	
Name	Length
I9 to I10	0.197159 miles
I10 to I11	0.177273 miles
I11 to SF	0.221212 miles
SF to I1	0.064962 miles
I1 to I2A	0.147159 miles
I2A to I2	0.049621 miles
I2 to I3	0.173295 miles
I3 to I4	0.123674 miles
I4 to I5	0.117045 miles
I5 to I6	0.176136 miles
I6 to I7	0.102652 miles
I7 to I8	0.135417 miles
I8 to I9	0.278409 miles
I1 to I2	0.196780 miles
Lap	1.964000 miles
PI to PO	0.260795 miles
PO to SF	1.921970 miles
SF to PI	1.742803 miles
PO to I2A	0.170076 miles
I10 to PI	0.177273 miles
PO to PI	1.681818 miles

Color Legend	
	Fastest Lap
	Section Under Caution
	Section Under Green
	Section Time Data
	Section Speed Data

